

BOROUGH OF WENONAH

www.boroughofwenonah.com

COUNCIL MINUTES – BUSINESS MEETING

August 22, 2019

Pledge of Allegiance

Call to Order: 7:30 p.m. by Council President Phil Kaferle at the
Wenonah Municipal Building, 1 South West Avenue, Wenonah, NJ 08090

Roll Call: Present: Councilmen Cox, Fini, Kaferle, Mayer
Absent: Mayor Dominy, Barbato, Norris
Also, present: Municipal Clerk/Adm. Karen Sweeney, Solicitor Matthew Lyons

Open Public Meetings Act Statement:

Adoption of the Agenda: Mayer/Fini, All in Favor

Open to the Public Mayer/Cox, All in Favor
Resident Carol Ann Wesh, 107 N. Clinton Avenue, wanted to let council know that there is a parking problem at the school with cars blocking her driveway. Resident is requesting a yellow block like the one at 4 E. Elm except in front of her walkway, not driveway. Councilman Kaferle indicated he and Dave Kreck will investigate it.

Resident Scott Barnes 104 S. Jefferson questioned the chapter 72 proposed solar ordinance and wanted to make some comments. He would like it to go to the planning board for review before the final read.

Close to the Public Mayer/Cox, All in Favor

Motion to approve: Ordinance 2019-12, 2nd read: Authorizing Bond Ordinance required to obtain funding through the IBANK/H2 loans for an infrastructure project.
(formerly the NJ Environmental Infrastructure Trust.) Mayer/Fini, All in Favor

Open public hearing Mayer/Cox, All in Favor

No comments

Close public hearing Mayer/Cox

Roll Call:

Ayes: Cox, Fini, Kaferle, Mayer

Nays: None

Abstain: None

Absent: Barbato, Norris

Motion Approved

Motion to approve: Resolution 2019-76: Authorizing the withdrawal of LOSAP FUNDS for Stephen J. Locastro not to exceed \$20,000. Fini/Mayer

Roll Call:

Ayes: Cox, Fini, Kaeferle, Mayer

Nays: None

Abstain: None

Absent: Barbato, Norris

Motion Approved

Motion to approve: Resolution 2019-77: Authorizing the execution of agreement with Omni Recycling, LLC Cox/Mayer

Roll Call:

Ayes: Cox, Fini, Kaeferle, Mayer

Nays: None

Abstain: None

Absent: Barbato, Norris

Motion Approved

Motion to approve: Resolution 2019-78: Accepting the 2018 annual audit to show evidence of said compliance to Local Finance Board pursuant to N.J.S.A 40A:5-6 Mayer/Cox

Roll Call:

Ayes: Cox, Fini, Kaeferle, Mayer

Nays: None

Abstain: None

Absent: Barbato, Norris

Motion Approved

Motion to approve: Resolution 2019-79: Authorizing Change Order #1 with Charles Marandino for the 2019 infrastructure project Mayer/Cox

Roll Call:

Ayes: Cox, Fini, Kaeferle, Mayer

Nays: None

Abstain: None

Absent: Barbato, Norris

Motion Approved

Motion to approve: Resolution 2019-80: Amending the proposal of Suburban Consulting Engineers for engineering services in connection with the water tank rehab. Mayer/Fini

Roll Call:

Ayes: Cox, Fini, Kaeferle, Mayer

Nays: None

Abstain: None

Absent: Barbato, Norris

Motion Approved

Motion to approve: Ordinance 2019-13: 1st read Amending Chapter 72 Land use Ordinance and adding new section in Zoning Regulations for solar panels Mayer/Fini

Roll Call:

Ayes: Cox, Fini, Kaeferle, Mayer

Nays: None

Abstain: None

Absent: Barbato, Norris

Motion Approved

Motion to approve: Ordinance 2019-14: 1st read Amending Chapter 53 Shade Tree Commission Cox/Mayer

Roll Call:

Ayes: Cox, Fini, Kaeferle, Mayer

Nays: None

Abstain: None

Absent: Barbato, Norris

Motion Approved

Committee Reports:

- Public Safety & Personnel – Councilman Dan Cox - see attached written report. Chief Darren White read his written report - see attached. Councilman Cox read on behalf of Chief Tim Nessler - see attached.
- Public Works – Councilwoman Susan Mayer – see attached written report-
- Human Services – Councilman Anthony Fini -No Report;
- Finance & Budget – Councilman Bill Norris – Absent-see attached written Tax Collector and Treasurer reports
- Legal & Ordinance – Councilman Phil Kaeferle - No Report
- Public Buildings & Grounds –Councilman Jonathan Barbato- Absent No report

Engineers Report: See attached Engineers Report for all projects. Construction has started on NJDOT 2019, and we currently have a change order for a decrease. Twenty-seven water services were due to be replaced. However, 24 did not need to be replaced. Will check with contractor and see if they will do the handicapped ramp at the library.

Approve Disbursements Cox/Fini

Roll Call:

Ayes: Cox, Fini, Kaeferle, Mayer

Nays: None

Abstain: None

Absent: Barbato, Norris

Motion Approved

Miscellaneous:

Motion to approve: The Woman's Club to do both the Turkey Trot and Luminary projects for 2020

Mayer/Cox All in Favor

Open to the public:

Mayer/Cox All in Favor

No Comments


Close to public:

Mayer/Cox All in Favor

Motion to adjourn: 8:10 pm

Mayer/Cox All in Favor

Minutes Submitted,



Karen L. Sweeney, RMC/Admin/Treasurer

Approved: September 26, 2019

To: Mayor Dominy and Council
From: Tim Nessler, Fire Chief
Subject: Incident and Activity Report for July 2019
Date: August 6, 2019

Summary

The Wenonah Fire Company was in service a total of 15 times during the month of July including dispatched incidents and weekly training.

Incidents

Borough of Wenonah and Automatic Mutual Aid

Alarm System -	1
CO Alarm -	1
Dwelling Fire -	1
EMS Assist -	1
Exterior Fumes -	1
Grill Fire -	1
Rubbish Fire -	1

Activities

Meetings/Drills -	6
Extra Service -	2

Totals

During the month of July 2019, the Wenonah Fire Company responded to 7 incidents within the Borough and our mutual aid communities. The company also assembled for training and activities 8 times for a monthly total of 127.96 staff hours of service.

Respectfully Submitted:

Tim Nessler
Fire Chief

Public Works Report

Submitted by Ken Trovarelli, DPW Superintendent
For the month of August 2019 (7/25/19 – 8/22/19)

Road and Utility Maintenance and Compliance Testing

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	TOTAL
Meters installed	4	6	3	2	0	0	31	0					
Utility Mark outs	6	9	53	22	11	9	14	61					
Water samples for NJDEP	4	4	4	4	4	4	4	4					

Equipment maintenance

- 1 Water Shut off
- Set up and pour concrete pad at Well 3 for Generator
- Took pump from Well #1 Chlorine Machine and put it on Well #3. That pump burnt up. We are Running on one well.
- Check wells and lift stations daily and performed minor maintenance
- Put new Alternator on the '05 Pick-up

Road work

- Many potholes throughout the borough were filled / patched.

Other activities

Municipal Properties and Maintenance

- Cut and trimmed grass at all municipal properties
- Replaced lock in the fireproof file cabinet safe in the Tax Office
- Filled water bags for trees in park
- Trim low hanging tree branches
- Trim Barkbridge for cars coming out of Woods of Wenonah
- Changed 3 signs at the dance studio to no parking drop off and pick up only
- Weed and mulch the flowerbeds and around the rose bushes at the tax office
- Cleared catch basins throughout the borough
- Check well and lift stations
- Took water samples, water reports to DEP (Monthly)
- Trash/Recycle Collection - Collected trash and recycling at parks, municipal properties and businesses.

Bulk Leaf Collection, Yard Waste & Branch Collection, Chipping, Tree removal

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	TOTAL
Leaves – cu yds	90	0	0	0	0	0	0	0					
Yard waste – cu yds	40	80	60	100	40	60	60	60					
Branches chipped – cu yds	7	12	28	20	21	28	41	49					

- 70 cu yd wood chips delivered to residents.


Residential Recycling

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	TOTAL
# metal stops		22	16	15	29	94*	14	26*					
# e-waste stops		14	9	11	12		31						

*Indicates combined metal and e-waste

Tax Collector's Statement of Cash Receipts

Current Taxes	July 2019	2019 To Date
Prepaid Taxes / 2020		
2019 Taxes	73,613.27	4,426,166.56
2018 Taxes	0.00	83,238.14
6% Year End Penalty		2,455.43
Arrears		0.00
Tax Title Liens		0.00
Interest & Costs	121.37	11,278.51
Tax Searches		0.00
Cleanup		0.00
Advertising Costs		0.00
Tax Sale Premium		0.00
Lien Recording		0.00
Dup. Tax Sale cert. Fee		0.00
NSF Fee		0.00
Bankruptcy & Foreclosure Fees		0.00
Total Receipts	73,734.64	4,523,138.64


Kim M Jaworski
Tax Collector

Percentage of Collection at July 31, 2019	49.83%
Percentage of Collection at July 31, 2018	51.68%

LAKE 2019 AS OF 7/26/2019 – 8/21/2019

16 RESIDENT TAGS SOLD \$225.00

AND

1 NON-RESIDENT FAMILY SOLD \$300.00



Mantua Township Police Department

Proudly serving Mantua Township and Wenonah Borough



Darren E. White
Chief of Police

Jeffrey F. Ferry
Captain

405 Main Street
Mantua, NJ 08051
mantuapd@mantuatownship.com
(856) 468-1920
Fax (856) 464-0237

Brian L. Grady
Lieutenant

Shaun J. Butler
Lieutenant

August 22, 2019

To: Mr. Mayor and members of the Borough Council
From: Chief White

Re: Monthly report

- Speed sign has been out on Mantua Ave. I have also talked to the lieutenant about placing our trailer out in the near future in the area of the dance studio to help advise of the new zone.
- Community service cleaned along Glassboro Road between Mantua Ave. and Bark Bridge Road.
- We thought we had a good replacement for the class 2 position, but that did not work out. We have advertised for it again and will be interviewing candidates as soon as the application deadline is over.
- We sent two officers to training in New Mexico for "Incident Response to Bombing." The training, airfare, hotel, and car rental is completely free. The class is part of the Energetic Materials Research and Testing Center (EMRTC) which offers free training to all first responders paid for by the US Dept of Homeland Security, FEMA.
- Our car seat checkpoint went well and is still resulting in a lot of positive interactions with the community. I think we have more technicians than almost any department around at this point.
- We lost one of our long-time crossing guards due to illness, but have moved forward with and located a replacement.
- We have been going through a promotional process for open sergeant and corporal positions over the past few months. It consists of a written test and oral board exam administered by the NJ State Association of Chiefs of Police (NJSACOP) as well as a tally of points for other things such as education, job-related training, seniority, awards/commendations/discipline, administrative duties, veteran status, and an assessment by me. I am working with Mantua's committee to determine who will fill the positions, which should take place very shortly.
- There was a "Back the Blue" event that stopped by the PD at the end of July. This is the second year the visited. Their goal is just to stop by police departments in the area to show support, which is much appreciated.
- Coffee with a Cop was postponed due to weather concerns. The replacement date will likely be next week sometime and I will let the committee know as soon as I have it. It is a good opportunity to introduce the new chaplains to some of the residents too.

- I met with all three chaplains to discuss the best way to continue implementing the program. I think we have a good understanding of how to best proceed.
- Lt. Butler came up with the simple idea to have the patrol shifts hand out cold bottles of water to anybody they saw out in the excessive heat. The cost was minimal, but it is simple things like this that result in a lot of good interactions with the public sparking conversations during times when we are not taking enforcement action. I also sat down with a local reporter to discuss our community policing initiatives which resulted in a nice write up.
- As is common for the summer time, we experienced a rash of thefts from unlocked vehicles over the past month. The actors normally just walk around developments checking for open vehicle doors and then take change or other items that will net them quick cash. The easiest solution is for people to lock their doors, which we try to remind residents about several times per year. However, the actors always seem to find numerous unlocked vehicles from which to steal. There was also a copper theft from the Wenonah Elementary School.
- We used these incidents as an opportunity to request additional participants in our surveillance camera registry and inform them about how helpful video footage is to our investigations. We did have footage of the actors of the vehicle burglaries and the copper theft which resulted in several tips. Numerous additional residents provided us with information regarding their cameras. This registry allows us to quickly locate potential camera locations when we have an incident around town. Providing the information is entirely voluntary and the PD does not actually have access to view the cameras themselves, only their locations so that we can request footage if we think that it will be helpful for an investigation. Anybody who is interested can find a form under the “Forms” section of our website that can be emailed to mantuapd@mantuatownship.com or dropped off to the PD.
- The captain has been looking into adding a reference to Wenonah on our police cars as discussed at the last meeting. I have been wanting to change the whole design from its current muted design to something that stands out more, so we will incorporate this change into any new vehicle decals as well.



Mantua Township Police
405 Main Street
Mantua New Jersey 08051
(856) 468-1920

Incidents Summary List

Printed On: 08/22/19 10:23

Reporting Period : 07/25/2019 - 08/20/2019

	Mantua Police Department	Total
Added Patrol	1	1
Animal Complaint	2	2
Burglar Alarm Activation	5	5
Burglary, Entering	2	2
Burglary, Theft	1	1
Cardiac Emergency	2	2
Civil Matter Complaint	1	1
Community Policing	2	2
Criminal Mischief Complaint	1	1
Diabetic Emergency	1	1
Disabled Motor Vehicle	1	1
Dispute	2	2
Domestic	1	1
Down/Arcing Wires	1	1
Escort	1	1
Fall Victim	2	2
Fireworks Complaint	1	1
Follow Up	5	5
Foot Patrol	1	1
Found Item	2	2
Hazardous Road Condition	2	2
Investigation	2	2
Juvenile Complaint	1	1
Lock Out	2	2
Medical Emergency	1	1
Motor Vehicle Stop	25	25
Neighbor Complaint	3	3
Notification/Informational	1	1
Police Bike Patrol	1	1
Property Check	1	1
Public Assist	1	1
Radar Enforcement	11	11
Respiratory Emergency	1	1
Suspicious Motor Vehicle	2	2
Suspicious Person	3	3
Theft	2	2
Trespassing	1	1
Unconscious Person	1	1



Mantua Township Police
405 Main Street
Mantua New Jersey 08051
(856) 468-1920

Incidents Summary List

Printed On: 08/22/19 10:23

Reporting Period : 07/25/2019 - 08/20/2019

	Mantua Police Department	Total
Well Being Check	2	2
Total	98	98



THE PETTIT GROUP, LLC
Engineering • Architecture • Planning

VIA E-MAIL ONLY

August 21, 2019

Mayor and Council
Borough of Wenonah
1 South West Avenue
Wenonah, NJ 08090

**RE: Monthly Engineering Report
Borough of Wenonah
Public Meeting: Thursday August 22, 2019
Project Number WNOE0120**

The following report summarizes the status of the various projects authorized by the Mayor and Borough Council:

I. CONSTRUCTION PROJECTS:

BOROUGH POTABLE WATER WELL #3 & MODIFICATIONS TO WELL #1

1. It is our understanding that the removal and replacement of the Treatment Systems at both Well #'s 1 & 3 is being addressed by Suburban Consulting Engineers (SCE).
2. Public Works must install a number of trees to satisfy the conditions of the NJDEP Flood Hazard Permit. This work is in exchange for other work that was completed for the Public Works Department by Level-1 Construction.

2019 INFRASTRUCTURE IMPROVEMENT PROJECT:

1. The Contractor has substantially completed the water service investigations throughout the project as well as the installation of the storm sewer improvements in West Cherry Street, and the drop-off zone striping in Northwest Avenue. The Contractor has not submitted a request for payment this month. The first payment request is anticipated for the September 26th Meeting.
 - A. It should be noted that the location of the recently installed drop-off zone is 8 feet further south than intended. The Contractor has been made aware of the error and has indicated that the necessary corrections will be made.
2. Our office has submitted Borough Change Order #1 for the Borough's consideration. Said Change Order is inclusive of the following work:

A. Replacement of approximately 235 LF of Existing Sanitary Sewer, including two (2) new manholes, and one (1) sewer lateral and cleanout in West Cherry Street, from Corsons Alley to Monroe Avenue.

1) It should be noted that the Borough's Asset Management Plan Consultant has identified this sewer as a "high risk" sewer.

B. A reduction of 24 new water services that were found not to be in need of replacement.

It should be noted that the approval of Borough Change Order #1 will result in an overall decrease of \$27,544.00 (or 3.92%) below the original Contract Amount of \$702,828.50, for a Final Projected Contract amount of \$675,284.50.

3. We have notified the Contractor about the requirement to install a new sanitary service lateral for #402 East Cherry Street. The Contractor has agreed to install the new lateral at the unit price bid for same. This additional work will be reflected in a future contract change order.
4. The Contractor has notified our office of a number of potential Change Orders related to additional water service test pits and to delays caused by unforeseen underground conditions while installing the new storm sewers in West Cherry Street. Our office will address the legitimacy of the Change Orders and negotiate the Change Order amounts with the Contractor as necessary.
5. We have solicited a price from the Contractor for the installation of double yellow epoxy centerline striping in South Marion Avenue from, Cedar Street to Barkbridge Road. The approximate cost is anticipated to be \$2,200-\$2,300 (\$1.00 per linear foot). We ask if Council would like to include said work as a Change Order to the 2019 Infrastructure Project.

II. PRIVATE DEVELOPMENT PROJECTS AND INSPECTIONS:

STOCKTON AVENUE EXTENSION

1. No Change Since Last Report.

#207 EAST WILLOW

1. No Change Since Last Report.

AT&T CELLULAR ANTENNAE INSTALLATION

1. Our office recently recommended that the Borough consent to AT&T's request to add, relocate, upgrade, and/or replace a number of the existing panel antennae, Remote Radio Heads (RRH's), and Surge Suppression Devices located atop the Water Tower, including the modifications to the existing equipment mounts for additional structural stability. The scope work also includes a number of additions, upgrades, and/or, replacements of certain existing ground based equipment.



T-MOBILE CELLULAR ANTENNAE INSTALLATION

1. TMobile will soon be replacing three (3) of the nine (9) existing panel antennae upon the Water Tower and reconfiguring their telecommunications cables located within the ladder access tube such that they are in compliance with the applicable OSHA safety standards.

VERIZON CELLULAR ANTENNAE INSTALLATION

1. No change since last report

III. GENERAL MUNICIPAL ENGINEERING:

2019 NJDOT MUNICIPAL AID PROGRAM - 2020 BOROUGH ROAD PROGRAM:

1. Upon completion of the existing sanitary sewer video inspections by SCE, our office will complete our evaluations and cost estimates for the following 2020 Road Program candidates:
 - A. South Marion Avenue, from Mantua Ave to Willow Street (2018 NJDOT Municipal Aid).
 - B. Lenape Trail, from Mohawk Drive to Mohawk Drive
2. Upon confirming the scope of the 2020 Road Program, we will provide a proposal for engineering design, contract administration, and construction inspection, as well as a recommendation for the Project's Bond Amount.

2020 NJDOT MUNICIPAL AID PROGRAM:

1. No Change Since Last Report.

NJ ENVIRONMENTAL INFRASTRUCTURE FINANCING PROGRAM

1. It is our understanding that the Borough intends to adopt a Bond Ordinance as a pre-requisite for obtaining funding through the IBANK/H2 loan program for future infrastructure improvements.

SAFE ROUTES TO SCHOOL GRANT APPLICATION (SRTS)

1. No Change Since Last Report.

PY 2019-2020 CDBG APPLICATION: BARRIER FREE IMPROVEMENTS AT LISLE FIELD

1. No Change Since Last Report.



WENONAH LIBRARY:

1. Our office will request a quote from the 2019 Infrastructure Project Contractor for the installation of a new handicap ramp on N. Clinton Avenue. If acceptable, the necessary change order to the 2019 Infrastructure Project will be prepared.

WENONAH LAKE:

1. No change since last report.

LIGHT RAIL

1. No change since last report.

CONRAIL

1. No change since last report.

SANITARY SEWER SYSTEM

1. Our office is cooperatively working with SCE on the coordination of a jet cleaning and video inspection program for the existing sewer system for the purposes of evaluating existing concealed conditions and subsequently prioritizing system upgrades.
2. Upon completion of the video inspections, our office will help identify the problematic areas and coordinate the necessary upgrades with future roadway improvement projects, including those roadways being considered for upgrades in 2020.
3. If available, we recommend that funds be dedicated to the installation of a bypass system for the Lenape Trail Pump Station.

GLOUCESTER COUNTY UTILITIES AUTHORITY (GCUA)

1. No change since last report.

SEWER SERVICE AREA MAPPING UPDATES

1. Pursuant to the impending adoption of the new Gloucester County Wastewater Management Plan (WMP), we have been forwarded a copy of the updated Sewer Service Area (SSA) Map for the Borough of Wenonah. Our office reviewed the updated Sewer Service Area (SSA) Map and returned comments to the County so they may incorporate the necessary revision(s). The only comment was to include Lot #7.06, of Block 75, in both the County's and the Borough's Sewer Service Area.

USEPA SANITARY SEWER COMPLIANCE EVALUATION INSPECTION

1. No change since last report.



PUBLIC SEWER FOR WOODBURY-GLASSBORO RD PROPERTIES

1. No change since last report.

NJDEP WATER QUALITY ACCOUNTABILITY ACT

1. No change since last report.

BOROUGH WATER TOWER AND WELLS

1. We have reviewed SCE's engineering proposal for the Rehabilitation of the Water Tower and have recommended a number of changes to the scope pursuant to the 2016 Water Tower Inspection Report. It is our understanding that SCE has submitted a revised proposal and will be authorized to prepare bid documents for the Rehabilitation of the Water Tower in accordance with same.
2. Our office is aware of a recent failure in the Water Tower's overflow pipe which resulted in the discharge of water within the tower structure. We will coordinate with SCE to ensure that the repair of the overflow pipe is addressed within the scope of the Water Tower Rehabilitation Project.
3. See "BOROUGH POTABLE WATER WELL #3 & MODIFICATIONS TO WELL #1" for information regarding Well #'s 1 & 3.

DELAWARE RIVER BASIN COMMISSION (DRBC) WATER SYSTEM AUDIT

1. No change since last report.

NJDEP WATER ALLOCATION

1. The total 2019 water usage, up to and including the month of July, is equivalent to that from the Year 2015 when the Borough was more than 16.5 million gallons below the Annual Allocation Limit.

BOROUGH WATER SYSTEM RECORD KEEPING

1. No Change Since Last Report.

STORM SEWER SYSTEM

1. In light of the Asset Management Plans being prepared for the Borough's Water and Sanitary Sewer Systems, considerations should be made for the preparation of an Asset Management Plan and GIS Map for the Borough's Storm Sewer System.
 - A. It should be noted that the Borough is required to provide NJDEP with a GIS Map of the Borough-wide Outfalls by December 1, 2020. It is assumed that the Borough will retain SCE for this work and our office will provide SCE with the outfall coordinates upon authorization of the work.



NJPDES STORMWATER DISCHARGE PERMIT

1. Our office continues to perform periodic updates to the Borough's 2019 Stormwater Pollution Prevention Program (SPPP), as required by the Permit. The most recent update includes documentation that the Borough has satisfied the Public Education and Outreach Program requirement of educating businesses and the general public of hazards associated with illicit connections and improper disposal of waste.

FLOODING INVESTIGATION IN SOUTHEAST AVENUE

1. Our office has prepared a formal report which describes the flooding problem (*The overgrowth of vegetation and siltation of the drainage ditch located on the east side of the tracks and insufficient capacities for the drain pipes that cross beneath Willow Street*) and also provides recommendations for addressing same. We suggest that the Report be forwarded to Conrail by the Borough Solicitor along with a request for corrective action.

#107 S. CLINTON AVENUE

1. Our office has contacted South Jersey Gas regarding the status of their investigation into the roadway failure in front of #107 S. Clinton Avenue. We have yet to receive an update.

SINKHOLE AT LINDEN AVENUE & WOODBURY-GLASSBORO RD

1. The County has notified our office that they are responsible for the repair of a sinkhole at the intersection of Linden Avenue & Woodbury-Glassboro Rd, which appears to be the result of the failure of an existing storm sewer.

TRAFFIC CALMING MEASURES

1. Our office has coordinated the installation of the signage for the recently installed drop off zone in North West Avenue with the Public Works Department.

BLOCK 13 EROSION PROBLEM (NORTHWEST OF JEFFERSON & ELM)

1. No Change Since Last Report.

IV. PLANNING BOARD ACTIVITY:

1. No meetings held since last report.



WNOE0120
Mayor and Council
August 21, 2019
Page 7

If there are any questions regarding the content of this report, please contact me at the office (856) 464-9600 or on my cell at (267) 972-6317.

Sincerely,
THE PETTIT GROUP, LLC



David Kreck, PE, CME
Associate

Cc: Karen Sweeney, Borough Clerk (via e-mail)
Matthew P. Lyons, Esq., Borough Solicitor (via e-mail)
Laurie Christinzio, Planning Board Secretary (via e-mail)

