

BOROUGH OF WENONAH

www.boroughofwenonah.com

April 22, 2021

COUNCIL MINUTES – BUSINESS MEETING

(Pursuant to Mayor Dominy's Emergency Proclamation the meeting was held via telephone AND in person)

Pledge of Allegiance

Call to Order: 7:00 p.m. by Mayor, John R. Dominy
Wenonah Municipal Building, 1 South West Avenue, Wenonah, NJ 08090

Roll Call: Present: Conference called in: Mayor Dominy,
Physically present: Barbato, Cox, Mayer, Doheny
Absent: Fini, Fu
Solicitor Matthew Lyons, Clerk/Admin Karen L. Sweeney

Open Public Meetings Act Statement:

Adoption of the Agenda:

Cox/Mayer
All in Favor

Open to the Public

Cox/Mayer

(In Person) Resident Derek Pedersen, 107 N. Marion, on behalf of the Wenonah fire Company, requested approval to move the July 4 "Beer Garden" to the Wenonah Park to assist the American Legion's celebrations, providing the State of NJ is returning to normal.

(In Person) Resident John Forren, 400 N. Clinton, on behalf of the American Legion. They are planning the Memorial Day parade and request Mayor and Council to walk with them to the cemetery. Mayor Dominy indicated as long as this is contingent upon the state of affairs at the time of the event.

(In Person) Resident Joe Labinski, 305 W. Cherry Street, wanted to let mayor and council know that Code Enforcement has been out to his house 106 times.

(In Person) Resident Mellany Alio, 111 N. Monroe, on behalf of the Lake Association. They requested permission to have an Open House at the lake waiving admission, between the hours of 11-4pm with a rain date of June 12.

Close to the Public

Cox/Mayer

Motion to Approve: March 25, 2021 Business Meeting Minutes

Cox/Mayer
All in Favor

Motion to Approve: Resolution 2021-49:
Approving the Municipal Alliance Funds for 2021-2022

Cox/Mayer

Roll Call:

Ayes: Barbato, Cox, Doheny, Mayer

Nays: None

Abstain: None

Absent: Fini, Fu

Motion Approved

Motion to Approve: Resolution 2021-50: Approving the tax collector to

Cox/Mayer

transfer or refund tax Block 39 Lot 9 for \$641.38

Roll Call:

Ayes: Barbato, Cox, Doheny, Mayer

Nays: None

Abstain: None

Absent : Fini, Fu

Motion Approved

Motion to Approve: Resolution 2021-51: Authorizing the advertisement of public bids for the Wenonah Water Tank Rehabilitation

Cox/Mayer

Roll Call:

Ayes: Barbato, Cox, Doheny, Mayer

Nays: None

Abstain: None

Absent: Fini, Fu

Motion Approved

Motion to Approve: Resolution 2021-52: Awarding contract to Sub-Level Installations, Inc water system modifications phase 1 in rehab water tower project

Cox/Mayer

Roll Call:

Ayes: Barbato, Cox, Doheny, Mayer

Nays: None

Abstain: None

Absent: Fini, Fu

Motion Approved

Motion to Approve: Resolution 2021-53: Approving change order #1 for R.E.Pierson for S. Marion Ave Sanitary Sewer replacement

Cox/Mayer

Roll Call:

Ayes: Barbato, Cox, Doheny, Mayer

Nays: None

Abstain: None

Absent: Fini, Fu

Motion Approved

Motion to Approve: Ordinance 2021-4: 1st Read, Amending Chapter 67 Handicapped Parking Elementary School

Cox/Mayer

Roll Call:

Ayes: Barbato, Cox, Doheny, Mayer

Nays: None

Abstain: None

Absent: Fini, Fu

Motion Approved

Motion to Approve: Ordinance 2021-5: 1ST Read, Amending Chapter 72 "Land Use" Fences

Cox/Mayer

Roll Call:

Ayes: Barbato, Cox, Doheny, Mayer

Nays: None

Abstain: None

Absent: Fini, Fu

Motion Approved

Motion to Approve: Ordinance 2021-6, 1st Read, Amending Chapter 72,

"Land Use" Storm Water Control Ordinance

Roll Call:

Ayes: Barbato, Cox, Doheny, Mayer

Nays: None

Abstain: None

Absent: Fini, Fu

Motion Approved

Committee Reports:

- Public Safety & Personnel – Susan Mayer; see attached Police and Fire Department reports. Council woman Mayer and Chief White informed Mayor and Council that they attended the Mantua Township "Straight to Treatment" held every Thursday from 3:00 to 6:00 pm at the Mantua Township Police Department. They explained this program is a walk-in to get help on any substance abuse disorder. Chief White also stated that they had radar displays out on Maple Street to collect data on speed. See detail in his report.
- Chief Tim Nessler- Absent
- Public Works – Dan Cox; see attached Public Works Report. Councilman Cox indicated moving forward with cleaning up the lake grounds.
- Human Services – Anthony Fini; No report-absent. Council woman Doheny advised Clean Communities Day will be May 8, 2021 and the Borough-wide Yard Sale will be April 24, 2021.
- Budget & Finance – Jessica Doheny; No report; see attached Tax Collector & Treasurers report.
- Legal & Ordinance – Peter Fu; No report-absent
- Public Bldgs. & Grounds – Jonathan Cox; No report
- 4th of July Parade activities will be held on Saturday, July 3.
- Engineers Report: Dave Kreck (phoned in) See Engineers report for all update on all projects in town. Suburban Engineers: Matt Peles (phoned in) See Resolutions 2021-52 only 2 bids came in for the water system modifications.

Cox/Mayer

Motion to approve disbursements

Roll Call:

Ayes: Barbato, Cox, Doheny, Mayer

Nays: None

Abstain: None

Absent: Fini, Fu

Motion Approved

Motion to Approve: Jeffrey Craig to Shade Tree Commission

Cox/Mayer-All in Favor

Motion to Approve: Open house Saturday June 5, 2021 at Wenonah Lake.

Free admission 11:00 am to 4:00 pm, with a rain date of Saturday June 12, 2021. Cox/Mayer-All in Favor

Motion to Approve: to move the "Beer Garden" for the 4th of July festivities from the Fire Company parking lot to the Wenonah Park contingent upon the covid 19 restrictions at the time of event.

Cox/Mayer-All in Favor

Motion to Approve: The Memorial Day Parade contingent upon the covid 19 restrictions at the time of the event.

Cox/Mayer-All in Favor

Open to the Public:

No comments

Cox/Mayer


Close to the Public:

Cox/Mayer

Motion to Adjourn: 7:40 pm

Cox/Mayer-All in Favor

Minutes Submitted,



Karen L. Sweeney, RMC/Admin/Treasurer

Approved: May 27, 2021



Mantua Township Police Department

Proudly serving Mantua Township and Wenonah Borough



Darren E. White
Chief of Police

405 Main Street
Mantua, NJ 08051
mantuapd@mantuatownship.com
(856) 468-1920
Fax (856) 464-0237

Brian L. Grady
Lieutenant

Shaun J. Butler
Lieutenant

April 22, 2021

To: Mr. Mayor and members of the Borough Council
From: Chief White

Re: Monthly report

- We had radar displays and our trailer out on Maple for a while. The trailer was displaying information about speed for eastbound traffic while a different sign had the display turned off in order to collect data on westbound traffic. The trailer was removed and this sign was moved yesterday to another location to collect eastbound traffic data yesterday.
- We will hopefully have a SLEO I officer soon. These officers do not carry firearms and can only perform limited law enforcement duties, but can be very helpful nonetheless for nuisance-type violations. We are wrapping up his background investigation and sending him for a psychological evaluation soon.
- We are all done at the range for spring qualifications. The new handguns are fantastic with literally almost every officer shooting in the mid to high 50s (55-60). For context, we are required to hit 48 out of 60 shots for a normal daytime qualification, so mid to upper 50s is close to perfect. Even officers who normally have a more difficult time qualifying and sometimes need additional work were shooting very well.
- With a new coat of paint, the old Wenonah evidence storage room has completed its transformation to an interview room. However, the floors have probably never been cleaned in the room since it was built due to the fact that it used to be the evidence room, which the cleaners would not have access to, so they definitely need some work.
- I am completing the paperwork for the state's body worn camera grant, which just came out recently and needs to be submitted before the end of the month. We are about two years into a five-year contract with Axon. Even though we have to apply now so that the money is appropriated, we do not have to spend it until we make a later purchase as long as it is before 2025.
- I think Councilperson Mayer would agree that the Straight to Treatment kickoff event went very well earlier today, even if she was put on the spot to say a few words. There were representatives from Mantua, Wenonah, the County Commissioners Office, the County

Prosecutor's Office, one of our chaplains, the owner of My Friends House (the treatment center), and their advocate who will be the one assisting those who stop in for help. It was held as a Facebook Live event and we will link to it on our own Facebook site soon.

- We had an officer come to work with Covid a couple weeks ago, resulting in us quarantining an entire patrol squad. Fortunately, we creatively made things work and got coverage. The officer has since recovered and he and all other quarantined officers are back to work.
- I am working with our labor attorney on a policy to help everybody plan for their vacations this year so that they know what to expect as far as being able to return to work upon return from wherever they decide to go.
- We held a Govdeals.com auction to get rid of a bunch of old property, which was a success.
- With the proceeds from one of the sold Govdeals items that was originally obtained from the 1033 program, we are looking into changing our uniforms to something different. We are looking into a type of system which would allow officers to get some of the weight of their equipment off their waist and onto their chest/front. Similar systems are used by the military and they do make a lot of sense, but I am trying to find a combination of utility that also does not look too militaristic.
- The state officially opened up their Use of Force Portal. Our police department's numbers are consistent with others and do not stand out in any specific ways.
- Traffic complaints have been up with the warm weather. We are doing what we can to address them.
- We are using some wellness money provided by the JIF to purchase supplement shaker bottles and meal prep kits with our name and logo on them.
- All of our officers are still getting hammered trying to keep up with the onslaught of policy and legislation updates.
 - There is so much change that people attending a class on marijuana one week are taught different things than those attending the same class the following week.
 - We still have use of force changes at the end of the year, which will totally modify the way we approach the majority of the job.
 - All of this causes concern as we all still want to do a good job and what we are paid to do, but with the amount of information and changes constantly coming out officers are concerned of liability and their ability to remain as up-to-date as possible.

To: Mayor Dominy and Council

From: Tim Nessler, Fire Chief

Subject: Incident and Activities Report for March 2021

Date: April 6, 2021

Summary of service, dispatched incidents, training, and mutual aid:

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
# Service times	10	14	16										
Alarm Systems	2	3	2										
Animal Rescue													
Assist EMS													
Brush	1		3										
Building Fire	1												
CO Alarms			1										
Cover Assignment													
Dwelling Fire	1	3	1										
Exterior Fumes	1	2											
Incorrect Dispatch													
Interior Fumes	1	1											
Investigation			1										
Motor Vehicle Crash		1	1										
Rescue Assignment													
Rapid Intervention	1												
Rubbish Fire													
Service Assignment		1	1										
Structure Fire													
Meetings/drills	2	3	5										
Events			1										
Staff Hours	89.33	95.51	146.2										

Monthly highlights:

- The company responded to a number of illegal burns both in the conservation area and private properties. We will be working with Council to make a public notice concerning the open burn laws.

Tim Nessler

Fire Chief

Public Works Report

Submitted by **Brian Nicholson, Acting DPW Superintendent**
For the month of April 2021 (3/26/2021 – 4/22/2021)

Road and Utility Maintenance and Compliance Testing

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	TOTAL
Meters installed		1		1									
Utility Mark outs	29	45	96	71									
Water samples for NJDEP	4	4	4	4									

Equipment maintenance

- Safety Briefings, Job site observations
- Health, safety, and wellness, ensuring employees are taking breaks, following COVID safety and health guidelines as well as safety on the job
- Check wells and lift stations daily
- Cleared sewer back-ups

Road work

- Many potholes throughout the borough were filled / patched.

Other activities

Municipal Properties/Maintenance/Compliance

- Painted the floor in the snack stand at Lake, scheduled to do sand and painting in the next 2 weeks
- Covered the town 5 times for yard waste collection
- 5 sewer back ups
- 1 sewer main back up, Deptford Twp. MUA called in to Jet
- Cedar Ave Snack Stand reconstruction completed.
- Accessible Parking spot and sign installed 107 N. Clinton
- Water service leak on Mantua Ave. Garrison Enterprises completed emergency repair.
- 4/-2021 a fire hydrant was hit by a tractor trailer on N. Marion and Birch. The hydrant broke and a massive water leak occurred. Approximately 100,000 gallons of water was lost. The driver did not stop but residents were able to get pictures of the truck and MTPD was able to track down the truck. Estimates for the repair should be received by Friday.
- Cleared out catch basins for storms.
- Took water samples, water reports to DEP (Monthly)
- Trash/Recycle Collection - Collected trash and recycling at parks, municipal properties, and businesses.

Bulk Leaf Collection, Yard Waste & Branch Collection, Chipping, Tree removal

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	TOTAL
Leaves – cu yds													
Yard waste – cu yds	100	20	120	80									
Branches chipped – cu yds	7												


*Indicates combined yard waste and branches

Residential Recycling

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	TOTAL
# metal stops	38	50	52	47									
# e-waste stops	24	17	22	18									


*Indicates combined metal and e-waste

Current Taxes	March	2021 To Date
Prepaid Taxes / 2022	0.00	0.00
2021 Taxes	103,415.53	2,303,520.74
2020 Taxes	7,170.23	38,322.43
6% Year End Penalty	514.06	1,201.54
Arrears		0.00
Tax Title Liens		0.00
Interest & Costs	4,495.95	6,804.51
Tax Searches		0.00
Cleanup		0.00
Advertising Costs		0.00
Tax Sale Premium		0.00
Lien Recording		0.00
Dup. Tax Sale cert. Fee		0.00
NSF Fee		0.00
Bankruptcy & Foreclosure Fees		0.00
Total Receipts	115,595.77	2,349,849.22


 Kim M Jaworski
 Tax Collector

Percentage of Collection at March 31, 2021
 Percentage of Collection at March 31, 2020

53.80%
 51.20%



THE PETTIT GROUP, LLC
Engineering • Architecture • Planning

VIA E-MAIL ONLY

April 21, 2021

Mayor and Council
Borough of Wenonah
1 South West Avenue
Wenonah, NJ 08090

**RE: Monthly Engineering Report
Borough of Wenonah
Public Meeting: Thursday April 22, 2021
Project Number WNOE012Q**

The following report summarizes the status of the various projects authorized by the Mayor and Borough Council:

I. CONSTRUCTION PROJECTS:

2021 INFRASTRUCTURE IMPROVEMENT PROJECT:

1. The Notice of Award has been issued to the Contractor and a Pre-construction Meeting was held at the Borough Hall on April 21st. Pre-construction Meeting Minutes will be distributed to all parties, including the Mantua Police Department.
2. The NJDOT has approved the Borough's Award of Contract. Initial Reimbursement Vouchers in the amount of \$185,581.91 for S. Marion Avenue and \$202,500.00 for W. Cherry Street have been submitted to NJDOT. Payments/direct deposits should be forthcoming.
3. The Contractor's Performance Bonds and Insurance Certificates have been approved by the Borough Solicitor and the Contracts have been executed.
4. The Notice to Proceed shall be dated for May 3rd. Construction is expected to be completed by early August.
5. Our office is currently reviewing the Contractor's shop drawings for the project.

II. GENERAL MUNICIPAL ENGINEERING:

2022 INFRASTRUCTURE IMPROVEMENT PROJECT:

1. In addition to Drainage and Roadway Improvements to Lenape Trail, we are seeking Council's input regarding the inclusion of the following additional public roadway improvements in the 2022 Infrastructure Improvement Project:
 - A. Roadway Improvements to Mohawk Drive, from Lenape Trail to Woodbury-Glassboro Road (*Estimated Construction Cost: \$35,000*)
 - B. Roadway Improvements to East Poplar Street, from Clinton Avenue to Princeton Avenue (*Estimated Construction Cost: \$140,000*)
 - C. Roadway Improvements to Monroe Avenue, from Poplar Street to Mantua Avenue (*Estimated Construction Cost: \$70,000*)

Subsequent to Council's decision, our office will prepare a fee proposal for the engineering design, contract administration, and construction inspection.

2021 NJDOT LOCAL AID INFRASTRUCTURE PROGRAM:

1. The NJDOT has yet to complete their review of the Local Aid Infrastructure funding application for roadway and drainage improvements North Jefferson Avenue, from Mantua Avenue to Buttonwood Street.

PY 2021-2022 CDBG APPLICATION: BARRIER FREE IMPROVEMENTS AT LISLE FIELD

1. No such Solicitations received as of the date of this report.

WENONAH LIBRARY:

1. The Gloucester County Master Gardeners will be re-planting the Library Rain Garden on May 4th, beginning at 9:30 AM. This project will serve to satisfy one of the required Community Involvement Activities of the Borough's MS4 Stormwater Permit.

WENONAH ELEMENTARY SCHOOL:

1. Measurements for two (2) reserved on-street handicap parking stalls which are to be located on the north side of East Elm Street were obtained and forwarded to Council in anticipation of adopting the enacting Ordinance.

WENONAH LAKE:

1. To address an existing drainage problem, the Public Works Department will be replacing the collapsed storm pipe that runs beneath the Lake Manager parking area. Additional work will include some regrading and the clearing of debris from the pipe entrance.
 - A. The restoration of the disturbed asphalt parking area will most likely be performed under a Change Order to the 2021 Infrastructure Improvement Project.



COMEYS LAKE:

1. The following work at the Comey's Lake Dam remains to be completed.
 - A. The clearing of debris from the outfall structures.
 - B. The backfilling and stabilization of the eroded slope of the earthen dam.
 - C. The video inspection of the clogged inflow pipe.

We will coordinate the completion of this work with the Public Works Department as staffing and time permits.

LIGHT RAIL

1. No change since last report.

CONRAIL

1. Our office has prepared a formal report which includes and evaluation and subsequent recommendations for addressing the current and recurring flooding problem in Southeast Avenue, at Cedar Street, and the erosion problems currently being experienced along the west side of Langston Field. We suggest that the Report be forwarded to Conrail by the Borough Solicitor along with a request for corrective action.

SANITARY SEWER SYSTEM

1. The contract for the replacement of the existing sanitary sewer in S. Marion Avenue, from Mantua Avenue to Willow Street, was awarded to Richard E. Pierson Construction Co., who is also the same Contractor who was awarded the 2021 Infrastructure Improvement Project.
 - A. Our office will coordinate the sewer replacement Contract with the 2021 Infrastructure Improvement Project for roadway paving and water main improvements in South Marion Avenue.
2. Our office has solicited and accepted Contractor quotes for the construction of the necessary infrastructure improvements for providing sewer service for the residents on north Woodbury-Glassboro Road.
 - A. A total of four (4) Contractors were solicited and only one (1) quote was obtained.
 - B. We will review the Quote and the Scope of Work with the Public Works Committee to determine a course of action.
 - C. It has been confirmed with NJDEP that the proposed sewer infrastructure improvements will require Treatment Works (TWA) Approval

GLOUCESTER COUNTY UTILITIES AUTHORITY (GCUA)

1. No change since last report.



BOROUGH WATER TOWER AND WELLS

1. It is our understanding that a Contract for Water System Modifications which are required in preparation for the Rehabilitation of the Borough Water Tower will be awarded at the April 22nd Council Meeting.
 - A. We defer detailed status reports on the Borough Water Tower Project to Suburban Consulting Engineers (SCE).
2. Our office defers detailed status reports on the existing Borough Water System Wells to Suburban Consulting Engineers (SCE)

DELAWARE RIVER BASIN COMMISSION (DRBC) WATER SYSTEM AUDIT

1. No Change Since Last Report.

NJDEP WATER ALLOCATION

1. The Borough's total water usage for February 2021 is slightly higher than prior years' water usage for the month of March but still projects to be safely below the annual allocation limit of 72.07 million gallons per year.

FIRE HYDRANT DAMAGE

1. An existing fire hydrant located on Birch Street was recently struck by a vehicle. The replacement/repair of the hydrant is being coordinated by Public Works. It is estimated that the leak resulted in a loss of over 90,000 gallons of water and therefore, we have documented the leak in the Borough's monthly Water Usage spreadsheet.

MANTUA AVENUE WATER SERVICE LEAK

1. A leaking water service in Mantua Avenue was discovered by Public Works and subsequently repaired by Garrison Enterprise, Inc.
 - A. Our office will help coordinate the necessary roadway repair work, possibly through a Change Order to the 2021 Infrastructure Improvement Project.

BOROUGH WATER SYSTEM RECORD KEEPING

1. No Change Since Last Report.

STORM SEWER SYSTEM

1. In light of the Asset Management Plans being prepared for the Borough's Water and Sanitary Sewer Systems, considerations should be made for the preparation of an Asset Management Plan and GIS Map for the Borough's Storm Sewer System.



NJPDES STORMWATER DISCHARGE PERMIT (MS4)

1. We have coordinated a Rain Garden Workshop at the Wenonah Library scheduled for May 4th at 930 AM. The Workshop is being sponsored by the Gloucester County Master Gardeners and the public is welcome to attend to learn about low maintenance landscaping and water conservation measures.
 - A. This is a Community Event and therefore, has been publicly advertised as required by the Borough's MS4 Permit.
2. The County has requested a number of minor revisions to the Borough's Stormwater Control Ordinance (SCO). Our office has revised the Borough's SCO accordingly and it is our understanding that the amended Ordinance is scheduled for re-adoption.
3. To satisfy the "School Youth Education and Activities" element of the Permit, the Wenonah Elementary School, in conjunction with the Americorps Ambassadors Program, will be performing a number of virtual Classroom Presentations scheduled for the month of May. Our office will document these activities in the 2021 SPPP.

SOUTH JERSEY GAS IMPROVEMENTS:

1. Our office is aware of a number of resident complaints regarding the proper restoration of disturbed areas resulting from a construction contract for natural gas infrastructure improvements within the Borough. In order to ensure that the post-construction restoration is satisfactorily performed, our office, in cooperation with the Public Works Department, will inspect the project, prepare a punchlist, and coordinate its completion with the Contractor.

BOROUGH TRUCK TRAFFIC

1. No Change Since Last Report.

TRAFFIC CALMING & SAFETY MEASURES

1. Our office is investigating various non-intrusive options for traffic control for both Maple Street and Marion Avenue, including painted traffic stripes/markings and roadside delineators.
2. Our office will work with the Public Works Department on the identification of intersections that are in need of crosswalk striping to facilitate pedestrian street crossings. The focus area will include those intersections that are located within 500 feet of a school or public park.

NORTH LINCOLN AVENUE RIGHT OF WAY VACATION

1. No Change Since Last Report.



BLOCK 13 EROSION PROBLEM (NORTHWEST OF JEFFERSON & ELM)

1. We still await notification from NJDOT regarding the Borough's Local Aid Infrastructure Grant Application for Reconstruction and Drainage Improvements to North Jefferson Avenue whose scope of work would include measures to prevent runoff from discharging from the roadway and into the Borough's Conservation Area.
2. An additional solution to prevent the on-going migration of silt into the wetlands, would be the installation of coir logs at the base of the eroded slope and/or across the channel, upstream from the trail bridge. However, prior to placement of any materials, a survey will be required to delineate private property from Borough property.
 - A. In lieu of a survey, we would need written permission to install the coir logs from the property owner at #205 West Elm Street.

CONSERVATION AREA EROSION PROBLEMS

1. Our office will continue to work with the Public Works Department and Environmental Commission on addressing the following erosive areas within the Borough's Conservation Lands:
 - A. Eldridge Trail at Pine Street
 - B. West Cherry drainage ditch/bridge bulkhead.
 - C. Eroded side slope of Comey's Lake Earthen Dam.
 - D. Existing ravine located within Block 13 (see above).

LAND USE ORDINANCE MODIFICATIONS

1. Our office assisted with revising the Borough's Fence Ordinance and a first read is scheduled for the April 22 meeting.

III. PRIVATE DEVELOPMENT PROJECTS AND INSPECTIONS:

STOCKTON AVENUE EXTENSION

1. No Change Since Last Report.

#9 SHAWNEE DRIVE

1. Additional work remaining includes the installation of a landscape buffer to screen the arrays from public view. Once all work is completed, a final inspection will be performed to verify compliance with the Board's Conditions of Approval.

#207 EAST WILLOW

1. No Change Since Last Report.



AT&T CELLULAR ANTENNAE INSTALLATION

1. No Change Since Last Report.

T-MOBILE CELLULAR ANTENNAE INSTALLATION

1. No Change Since Last Report.

VERIZON CELLULAR ANTENNAE INSTALLATION

1. No change since last report

IV. PLANNING BOARD ACTIVITY:

1. No significant Activity.

If there are any questions regarding the content of this report, please contact me at the office (856) 464-9600 or on my cell at (267) 972-6317.

Sincerely,
THE PETTIT GROUP, LLC



David Kreck, PE, CME
Associate

Cc: Karen Sweeney, Borough Clerk (via e-mail)
Matthew P. Lyons, Esq., Borough Solicitor (via e-mail)
Laurie Christinzio, Planning Board Secretary (via e-mail)



July 4, 2021 Proposal

The Wenonah Fire Company requests approval to move the July 4 beer garden to the park to assist the American Legion's celebrations on this day – assuming there is a celebration this year. The area in question is the north/west corner of the park (see aerial photo). Below are some notes about the event:

- The area will be fenced off similar to what is typically done at our event (see aerial view)
- WFC will request permit from the state
- Event will be held from 11 am (estimated) to 2pm (last call 1:30pm)
- The beer trailer will be located on Mantua ave
- No food sales for this year. Only beer (three per guest max), water and soda will be available
- Patrons will be required to show ID to purchase a mug with wrist band. Only those wearing a wristband (with tabs) can then exchange the three tabs for beer. This is the same its been in past years.

Any questions please contact Derek Pedersen at (215) 908-1410.

Search for locations

See travel times, traffic and nearby places



Beer Trailer on Mantua Ave



Sales/Beer area



Toilets



Enter/Exit

Google

Sign in



Southeast Ave

Southeast Ave

Southeast Ave

Southeast Ave

Enter/Exit